B

Notice of Allowability	Application No.	Applicant(s)	
	10/565,966	LIPPUNER, HEINZ	
	Examiner	Art Unit	
	Christopher W. Fulton	2859	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-14</u> .			
3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority do International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 5. CORRECTED DRAWINGS (as "replacement sheets") mus (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Paper No./Mail Date	e been received. e been received in Application No cuments have been received in this r of this communication to file a reply of IENT of this application. itted. Note the attached EXAMINER's es reason(s) why the oath or declarate st be submitted. son's Patent Drawing Review (PTO-9) s Amendment / Comment or in the O	complying with the requestion is deficient.	uirements OTICE OF
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	E Notice of Information	otont Annlia-ti	
2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of Informal Pa6. ☐ Interview Summary		
3. ☑ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date <u>5/16/06</u>	Paper No./Mail Date 7. Examiner's Amendm	e nent/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme 9. □ Other	nt of Reasons for Allow	/ance

Art Unit: 2859

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. The following changes to the drawings have been approved by the examiner and agreed upon by applicant: Figures 1 and 2 need to be designated by a legend such as --Prior Art--because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.
- 3. The following is an examiner's statement of reasons for allowance: The prior art does not disclose or teach a method of checking or calibrating an optical test piece with an optical measuring part with the two being rotatable relative to each other about two orthogonal axis, an angle of rotation of the retainer part about the retainer part axis and the angle of rotation of the measuring part about the measuring part axis between the measuring part and the retainer part being measurable, an optical detector on the measuring part for receiving a test beam from the test piece, and a control unit for motor powered alignment of the optical unit relative to the test piece along with the remaining limitations of the claims.

Art Unit: 2859

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Christopher W. Fulton whose telephone number is (571) 272-2242. The examiner can normally be reached on M-W,F 6:00-4:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Diego F.F. Gutierrez can be reached on (571) 272-2245. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Christopher W. Fulton Primary Examiner Art Unit 2859